

www.koolance.com

Specifications Sheet

Generated: 2025-08-02

P/N: ICM-510

Aquian ICM-510 Compact Liquid Cooling System [06mm, 1/4in ID]



Keep your favorite case with the Koolance Aquian! An all-inone liquid cooling system, it's designed to provide quick and easy installation inside an ATX chassis. The Aquian mounts to a standard rear 120mm fan grill, and features a 90° hinged design for easy installation and maintenance.

A CPU-305-H06 Cooler is **included** with brackets for: AMD Athlon 64, FX, Opteron, Sempron, Athlon XP, Duron, Intel P-4 (LGA-775 and 478), and Celeron processors. Xeon CPUs require an additional adapter.

The Koolance Aquian ICM-510 is powerful for its size, performing similar to an Exos-Al. It combines a unique compact radiator, dual pump reservoir, and control board in an aluminum chassis. A 3.5" LED temperature display is included, which could alternatively be adapted to a 5.25" bay.

- 120mm fan (included) auto-adjusts for quiet operation, or select from 10 manual speeds
- Built-in safety alarm and automatic shutdown mode is configurable
- 3.5" LED temperature display with controls
- · LED reservoir lighting
- Hinged design for easy system access
- Fan bracket adjusts to mount different grill positions
- Top reservoir refill plug
- Uses 12V connection from computer power supply
- · Rotational liquid fittings

NOTE: The Aquian ICM-510 is designed for ATX chassis with a rear 120mm fan grill. The fan bracket will adjust up to 1 inch (2.5cm) vertically to accommodate different grill locations, and to help avoid potential conflicts with video cards and chassis support bars. The Aquian ICM-510 can not be mounted upside-down.

General	
Weight	9.75 lb (4.42 kg)
Cooling Systems	
Display Type	LED
Fans	1 x 120mm (90CFM)
Max Flow Rate (10-13mm ID)	R-PMP01
Power Source	12 VDC
Radiator	Aluminum
Temperature Sensors	55K Thermistor



